



# RAPTICAL LTD

The Computer Company

tel: 25-312139, 25-430202, 99-412448  
www.raptical.com

fax: 25-430232  
sales@raptical.com

Address: Shop G14, Anna Court 4, 2 Georgios A str., 4047, Potamos Yermasoyas, Limassol, Cyprus



## Q1 2016 Grandstream Reseller Price List

Model	Description			Warranty
<b>IP Voice Telephony</b>				
	<p><b>GXP1610 Small-Medium Business IP Phone</b></p> <p>Single SIP account, up to 2 call appearances, 3 XML programmable context-sensitive soft keys, 3-way conference, multi-language support.</p> <p>Full-duplex hands-free speakerphone with advanced acoustic echo cancellation, Electronic Hook Switch (EHS) with Plantronics headsets.</p>		€ 48.46	2 Year
	<p><b>GXP1625 Small-Medium Business HD IP Phone</b></p> <p>132*48 pixel backlit graphical LCD display.</p> <p>2 dual-color line keys (with 2 SIP accounts and up to 2 call appearances), 3 XML programmable context-sensitive soft keys, 3-way conference.</p> <p>HD wideband audio, <b>PoE Port</b>, superb full-duplex hands-free speakerphone with advanced acoustic echo cancellation and excellent double-talk performance.</p>		€ 56.00	2 Year
	<p><b>GXP1628 Small-Medium Business HD IP Phone</b></p> <p>132 x 48 backlit LCD display.</p> <p>2 dual-color line keys (with 2 SIP accounts and up to 2 call appearances), 3 XML programmable context-sensitive soft keys, 8 BLF keys, 3-way conference, multi-language support.</p> <p>Dual-switched <b>Gigabit</b> network ports, integrated PoE, HD wideband audio, full-duplex hands-free speakerphone with advanced acoustic echo cancellation, Electronic Hook Switch (EHS) with Plantronics headsets.</p>		€ 80.00	2 Year
	<p><b>GXP1630 Small Business Gigabit HD IP Phone</b></p> <p>3 SIP accounts, 3 line keys, 4-way conferencing, 3 XML programmable context-sensitive soft keys.</p> <p>HD audio on speakerphone and handset.</p> <p>Dual-switched <b>Gigabit ports</b>, integrated <b>PoE</b>.</p> <p>8 dual-colored BLF/speed dial keys.</p> <p>EHS support for Plantronics headsets.</p> <p>Up to 500 contacts, call history up to 200 records.</p>		€ 90.00	2 Year

	<p><b>GXP2130 v2 Enterprise HD IP Phone</b></p> <p>3 dual-color line keys (with 3 SIP accounts). 4 programmable context sensitive soft keys. Up to 4-way conferencing, and 8 dual-color BLF extension keys.</p> <p>320x240 TFT color LCD.</p> <p>PoE, EHS (Electronic Hook-Switch) with Plantronics headsets.</p> <p>Automated provisioning using TR-069 or AES encrypted XML configuration file, TLS/SRTP/HTTPS, for advanced security and privacy protection.</p> <p>Integrated real-time web applications [weather, currency, etc.].</p>		<p>€ 95.00</p>	<p>3 Years</p>
	<p><b>GXP2140 Enterprise IP Telephone</b></p> <p>Linux-based device that includes 4 lines, 5 XML programmable soft keys, and 5-way conferencing.</p> <p>480x272 TFT color LCD , Gigabit , PoE ports.</p> <p>Automated provisioning using TR-069 or AES encrypted XML configuration file, TLS/SRTP/HTTPS for advanced security and privacy protection.</p> <p>Integrated real-time web applications [weather, currency, RSS news (pending), etc.]</p>		<p>€ 115.00</p>	<p>3 Years</p>
	<p><b>GXP2160 Enterprise IP Telephone</b></p> <p>480x272 TFT color LCD , Gigabit , PoE ports.</p> <p>6 dual-color line keys (with 6 SIP accounts). 5 programmable context-sensitive soft keys. Up to 5-way conferencing and 24 dual-color BLF extension keys.</p> <p>Automated provisioning using TR-069 or AES encrypted XML configuration file. TLS/SRTP/HTTPS for advanced security and privacy protection.</p> <p>Integrated real-time web applications [weather, currency, etc.].</p>		<p>€ 140.00</p>	<p>3 Years</p>
	<p><b>GXP2170 Enterprise IP Telephone</b></p> <p>12 dual-color line keys (with 6 SIP accounts), 5 XML programmable context-sensitive soft keys.</p> <p>Dual switched auto-sensing 10/100/1000Mbps Gigabit network ports.</p> <p>48 digitally programmable &amp; customizable BLF/fastdial keys, and supports up to 4 cascaded GXP2200EXT Modules.</p> <p>Built-in Bluetooth for syncing headsets and mobile devices for contact books, calendars &amp; call transferring.</p> <p>HD audio to maximize audio quality and clarity; full duplex speaker phone.</p> <p>Built-in PoE to power the devices and give it a network connection.</p> <p>Supports EHS compatible Plantronics's headsets.</p> <p>5-way audio conferencing for easy conference calls.</p>		<p>€ 175.00</p>	<p>3 Years</p>

	<p><b>DP715 – VoIP DECT Phone</b></p> <p>DECT base station registers up to 5 DECT handsets and talks to up to 4 handsets concurrently.</p> <p>Advanced telephony features including Caller ID, Call Waiting, 3-Way Conference, Transfer, Forward, Do Not Disturb, Message Waiting Indication(Stutter Tone), auto talk, multi-language voice prompt, flexible dial plan.</p> <p>Secure and automated provisioning using HTTP/HTTPS/Telnet/TFTP, multiple SIP accounts, SIP over TCP/TLS, SRTP.</p>		<p>€ 79.00</p>	<p>2 Years</p>
	<p><b>GXP2200EXT Expansion Module</b></p> <p>GXP2140, GXP2200, and GXV3240 Enterprise IP phones.</p> <p>The module includes 20 extension keys and 2 arrow keys for page switching (allowing for 40 lines to be displayed), with a large LCD screen for easy viewing.</p> <p>Add up to 4 modules for a total of 160 extensions. Large 128x384 graphic LCD providing feature-rich graphics.</p>		<p>€ 115.00</p>	<p>3 Year</p>
<b>IP Video Telephony</b>				
	<p><b>GXV3275 IP Multimedia Phone for Android™</b></p> <p>6 lines with up to 6 SIP accounts including FREE IPVideoTalk account with video mail, up to 6-way audio conference and 3-way video conference, phonebook with up to 1000 contacts, call history with up to 1000 records.</p> <p>Dual switched auto-sensing, 10/100/1000Mbps Gigabit network ports, Wi-Fi (802.11 b/g/n), PoE+, Bluetooth, USB, SD, HDMI, EHS with Plantronics headsets support.</p> <p>7" (1024×600) capacitive (5 points) touch screen TFT LCD, mega pixel CMOS sensor camera with privacy shutter.</p> <p>HD wideband audio, full-duplex hands-free speakerphone with advanced acoustic echo cancellation.</p> <p>Runs the Android™ Operating System 4.2 and offers full access to the Google Play Store – which includes thousands of business productivity apps such as Skype, Microsoft Lync, Salesforce1, GoToMeeting.</p>		<p>€ 310.00</p>	<p>3 Years</p>
	<p><b>GXV3240 Multimedia IP Phone for Android™</b></p> <p>4.3 inch (480×272) capacitive (5 points) touch screen TFT LCD, mega pixel CMOS sensor camera with privacy shutter.</p> <p>6 lines with up to 6 SIP accounts including FREE IPVideoTalk account with video mail, up to 6-way audio conference and 3-way video conference, phonebook with up to 1000 contacts, call history with up to 1000 records.</p> <p>Integrate with Grandstream's GXV-series of IP video surveillance cameras to view live camera feeds and to receive alerts/alarms from IP cameras installed on the same network.</p> <p>HD wideband audio, full-duplex hands-free speakerphone with advanced acoustic echo cancellation.</p> <p>Offers a multi-platform video conferencing solution (Grandstream's Free IPVideoTalk, Skype, Microsoft Lync, and more).</p>		<p>€ 200.00</p>	<p>3 Years</p>

Conferencing				
	<p><b>GVC3200 Full HD Video Conferencing System</b></p> <p>Advanced Video Support – 1080p Full-HD video, up to 9-way video conferences, support for 3 monitor outputs through 3 HDMI outputs, and a PTZ camera with 12x zoom.</p> <p>Extremely powerful hardware platform includes a sophisticated MCU engine allowing up to 9-way hybrid protocol conferencing with no external MCUs/servers or extra software licenses; high performance hardware ISP (Image Signal Processing) engine that ensures an industry leading video experience.</p> <p>Features industry leading flexibility as it can communicate with popular third-party SIP video conferencing platforms. It is also based on the Android operating system and therefore can utilize Android apps (for example, Skype and Google Hangouts) for video conferencing.</p> <p>This open standard SIP system can be installed in three simple steps and features a built-in MCU in order to make installation as easy as possible.</p> <p>Plug and Play connection to Grandstream's IPVideoTalk Pro video conferencing service makes setting up and using the GVC3200 easy. Users can also easily share content with other viewers by connecting their laptop or computer to the GVC3200 HDMI or VGA inputs.</p>		<p>€ 3,615.00</p>	<p>3 Year</p>
	<p><b>GAC2500 Android Enterprise Conference Phone</b></p> <p>Android 4.4 based with native support for Skype, Lync, Google Hangout, SIP, etc.</p> <p>3x microphones with 3.6m voice pickup range, 1x 8W speaker with 4.5m coverage range.</p> <p>World-class high fidelity sound quality with audio bandwidth of up to 14KHz.</p> <p>Embedded audio conference bridge to host 6-way conference with local mixing.</p> <p>4.3" 480x272 capacitive touch screen color LCD with flexible customization capability.</p> <p>Gigabit network port with PoE, integrated Bluetooth, USB, headset jacks.</p> <p>Support G.711, G729a/B, G.722, G.722.1/G.722.1c, Opus, iLBC voice codec.</p> <p>Support daisy chaining deployment in large conference rooms.</p>		<p>€ 540.00</p>	<p>3 Year</p>
Gateways and ATAs				
	<p><b>GXW4216/24/32/48 FXS Analog VoIP Gateway</b></p> <p>GXW4216/24/32 x RJ11 FXS ports plus &amp; 1/1/2 x 50 pin Telco connectors GXW4248: 2 50 pin Telco connectors.</p> <p>Gigabit Ethernet and a backlit 128x32 graphic display with support for multiple languages.</p> <p>4 SIP Server profiles per system and independent SIP account per port.</p>	<p>€ 495.00</p>		
			<p>€ 715.00</p>	<p>3 Years</p>
			<p>€ 885.00</p>	
			<p>€ 1,230.00</p>	
	<p><b>HandyTone 701 (HT701) ATA</b></p> <p>Single FXS telephone port (supporting 5 REN) single 10/100M Ethernet port.</p> <p>LEDs for Power, Internet, LINK/ACT, and Phone status.</p> <p>Strong security protection of voice/data privacy using TLS/SRTP/HTTPS, secure and automated provisioning using TR069 and HTTP/HTTPS/TFTP.</p>		<p>€ 45.00</p>	<p>2 Year</p>

	<b>HandyTone 702/704 (HT702/704) ATA</b>  2 FXS port (HT702) or 4 FXS port (HT704), supporting 3 REN and single 10/100M Ethernet port.  Advanced telephony features including caller ID, call waiting, 3-way conference, transfer, forward, do not disturb, message waiting indication, multi-language voice prompt, T.38 Fax, flexible dial plan.Strong security protection of voice/data privacy using TLS/SRTP/HTTPS, secure and automated provisioning using TR069 and HTTP/HTTPS/TFTP.	<b>HT702</b>		2 Year
		€	55.00	
	<b>HandyTone 502 (HT502) ATA</b>  2 FXS analog telephone ports (RJ11), dual 10/100 Mbps ports with integrated NAT router.  3-way voice conference, transfer, forward, do not disturb, message indicator, multi-language voice prompts, T.38 fax, flexible dial plan and more.  Supports up to 2 SIP accounts. Advanced telephony features include caller ID, call waiting. Status LED for power, telephone and network ports, and message waiting indication.	<b>HT502</b>		2 Year
		€	65.00	
	<b>HandyTone 503 (HT503) ATA</b>  1 FXS analog telephone ports (RJ11), 1 PSTN line FXO port, dual 10/100 Mbps ports with integrated NAT router.  Advanced telephony features include caller ID, call waiting.  3-way voice conference, transfer, forward, do not disturb, message indicator, multi-language voice prompts, T.38 fax, flexible dial plan and more.  Supports up to 2 SIP accounts. Status LED for power, telephone and network ports, and message waiting indication.	<b>HT503</b>		2 Year
		€	80.00	

IP PBX			
	<b>UCM6100 Series</b> Supports up to 500 SIP endpoint registrations, up to 60 concurrent calls and up to 32 conference attendees. 1GHz ARM Cortex A8 processor. 512 MB DDR Ram, 4GB NAND Flash. Integrated 2/4/8/16 PSTN trunk FXO ports, 2 analog telephone FXS ports with lifeline capability and up to 50 SIP trunk accounts. Gigabit network ports with Integrates PoE, USB, SD card. UCM6102 includes an integrated NAT router and built-in firewall. Comprehensive security protection using SRTP, TLS and HTTPS with hardware encryption accelerator, Fail2ban, Whitelist, Blacklist, alerts and more to protect against attacks.	<b>UCM6102</b> € 400.00	3 Years
		<b>UCM6104</b> € 515.00	
		<b>UCM6108</b> € 885.00	
	<b>UCM6510</b> Supports up to 2000 SIP endpoint registrations, up to 200 concurrent calls and up to 64 conference attendees. 1GHz quad-core Cortex A9 processor. 1GB DDR3 Ram, 32GB Flash. 1 Integrated T1/E1/J1 interface, 2PSTM trunk FXO ports, 2 analog telephone/Fax FXS ports with lifeline capability, Unlimited SIP trunk accounts. Gigabit network ports with Integrates PoE, USB, SD card, integrated NAT router. Comprehensive security protection using SRTP, TLS and HTTPS with hardware encryption accelerator. Quickly setup and provision Grandstream ednpoints using the Auto-Discovery and Zero Config feature within the product's web user interface.	€ 1,450.00	3 Years

VAT IS NOT INCLUDED IN ABOVE PRICES