



# RAPTICAL LTD

The Computer Company

tel: 25-312139, 25-430202, 99-412448  
www.raptical.com

fax: 25-430232  
sales@raptical.com

Address: Shop G14, Anna Court 4, 2 Georgios A str., 4047, Potamos Yermasoyas, Limassol, Cyprus

## Headphones

### E101 ARCTIC SOUND E101 - HEADPHONES

€ 3,90 +VAT

Headphones Form Factor: Ear-bud  
Sound Output Mode: stereo  
Frequency Response: 20 Hz  
Sensitivity: 102 dB/Mw  
Impedance: 32 Ohm  
Diaphragm: 0.6 in  
Weight: 0.2 oz  
Type: headphones  
Manufacturer: Arctic



### HS0015 EARPHONES WITHOUT MICROPHONE LOGILINK

€ 8,00 +VAT

Direct to ear high fidelity acoustic  
Include 2 ear buds  
Soft silicone ear bud for comfort  
Speaker 10mm dynamic type  
Impedance 32 ohms  
Frequency response: 50-18000Hz  
Sensitivity: 109dB  
Cord Length: 3,6 feet  
Connector 3,5mm stereo Plug  
For CD Player, Radio set, Computer, Portable and Desktop Audio,  
MP3, Language Laboratories and Multimedia Applications.



### MK-650-R SECUREFIT METALLIC NOISE CANCELLING EARPHONE - RED A4 TECH MK-650-S SECUREFIT METALLIC NOISE CANCELLING EARPHONE - SILVER A4 TECH MK-650-BL SECUREFIT METALLIC NOISE CANCELLING EARPHONE - BLUE A4 TECH

€ 8,00 +VAT

€ 8,00 +VAT

€ 8,00 +VAT

Frequency range (headset/mic.): 20 - 20000 Hz  
Sensitivity (headset/mic.): 102 dB  
Length of cord: 1.4 m  
Impedance (headset): 32 Ohm  
Diameter dynamics: 10mm  
Microphone: no  
Headset type: In-Ear  
Connector: Jack  
Weight (gr): 14 g



**PR-200K EARPHONE WITH MICROPHONE ELEMENT**

€ 9,60 +VAT

Stereo earphones with microphone  
such as mobile phones, portable media players, Tablets,  
Ipod , Ipad, Iphone, Ultrabooks etc.  
Adaptor with PC split connector to use this set for  
instant messaging software (Skype, MSN, etc.)  
Sensitive microphone  
On/Off button for pickup/finish incoming connection  
Cable length: ~0,9m  
Frequency response 20Hz - 20kHz  
Headphones sensitivity: 116+/-2dB, S.P.L. at 1kHz



**S-7-1 CHAT MATE CLIP-ON HEADSET BLK A4 TECH**

€ 6,40 +VAT

In-Ear Style HIFI Sound Quality Ultra Light-Weight  
Powerful Neodymium Magnet  
Bass-driver Sound Ergonomic Design, Comfortable Fit



**PR-160K EARPHONES ELEMENT - BLACK**

€ 9,60 +VAT

Sound-isolated in-ear plug with Push-to-Talk button  
3.5mm 4 steps gold-plated jack  
3 pairs of silicon ear gel included  
Frequency response: 20Hz - 200Hz  
Cable length: 1.2 meters  
Sensitivity: 105dB  
Impedance: 32Ω  
Speaker dimensionsr: 2mm x 10mm



**PR-160W EARPHONES ELEMENT - WHITE**

€ 9,60 +VAT

Sound-isolated in-ear plug with Push-to-Talk button  
3.5mm 4 steps gold-plated jack  
3 pairs of silicon ear gel included  
Frequency response: 20Hz - 200Hz  
Cable length: 1.2 meters  
Sensitivity: 105dB  
Impedance: 32Ω  
Speaker dimensionsr: 2mm x 10mm



**PR-160S EARPHONES ELEMENT - SILVER**

€ 9,60 +VAT

Sound-isolated in-ear plug with Push-to-Talk button  
3.5mm 4 steps gold-plated jack  
3 pairs of silicon ear gel included  
Frequency response: 20Hz - 200Hz  
Cable length: 1.2 meters  
Sensitivity: 105dB  
Impedance: 32Ω  
Speaker dimensionsr: 2mm x 10mm



**PR-160B EARPHONES ELEMENT - BLUE**

€ 9,60 +VAT

Sound-isolated in-ear plug with Push-to-Talk button  
3.5mm 4 steps gold-plated jack  
3 pairs of silicon ear gel included  
Frequency response: 20Hz - 200Hz  
Cable length: 1.2 meters  
Sensitivity: 105dB  
Impedance: 32Ω  
Speaker dimensionsr: 2mm x 10mm



**PR-160R EARPONES ELEMENT - RED**  
 Sound-isolated in-ear plug with Push-to-Talk button  
 3.5mm 4 steps gold-plated jack  
 3 pairs of silicon ear gel included  
 Frequency response: 20Hz - 200Hz  
 Cable length: 1.2 meters  
 Sensitivity: 105dB  
 Impedance: 32Ω  
 Speaker dimensionsr: 2mm x 10mm



€ 9,60 +VAT

**PR-160P EARPONES ELEMENT - PINK**  
 Sound-isolated in-ear plug with Push-to-Talk button  
 3.5mm 4 steps gold-plated jack  
 3 pairs of silicon ear gel included  
 Frequency response: 20Hz - 200Hz  
 Cable length: 1.2 meters  
 Sensitivity: 105dB  
 Impedance: 32Ω  
 Speaker dimensionsr: 2mm x 10mm



€ 9,60 +VAT

**PR-160Y EARPONES ELEMENT - GOLD**  
 Sound-isolated in-ear plug with Push-to-Talk button  
 3.5mm 4 steps gold-plated jack  
 3 pairs of silicon ear gel included  
 Frequency response: 20Hz - 200Hz  
 Cable length: 1.2 meters  
 Sensitivity: 105dB  
 Impedance: 32Ω  
 Speaker dimensionsr: 2mm x 10mm



€ 9,60 +VAT

**55354 INLINE® BLUETOOTH AUDIO-RECEIVER WITH IN-EAR STEREO HEADSET, BLACK**

InLine® In-Ear Bluetooth Headset, black  
 Bluetooth version: V3.0 with EDR  
 Max Distance: about 10m in free space  
 Battery: Built-in rechargeable lithium-polymer battery  
 Charging the battery via the Micro-USB connector  
 Dimensions Receiver: about 50x18x14mm, weight: 10g  
 Multi-function button to turn on and off, answer, etc., and 2 more buttons for volume and control  
 LED for status indication  
 Standby time: up to 7 days  
 Supported Bluetooth profiles: A2DP, AVRCP, Headset, Handsfree, V3.0 with EDR  
 Talk time: up to 7 hours  
 Delivery: InLine® in-ear Bluetooth Stereo Headset (headphones included receiver), micro-USB charging cable, 3.5mm stereo audio cable, User Manual



€ 29,70 +VAT

**E130 HEADPHONES MICROLAB**

With expertise and technology from Microlab, our aural products are designed and selected for excellent qualities and acoustic performances.

- Supra-aural Headset
  - Microlab on the GO
  - Extremely light to wear
- Lightweight and easy to use
- Ideal for VOIP chats and conferencing
  - Easy earhook wear, neckband
  - Flexible boom microphone
  - Glossy finishes
- Product dimensions: 110 x 105 x 60mm
- Interfaces:**
- Input plug type: 3.5mm stereo



€ 8,00 +VAT

**K220 HEADSET MICROLAB**

**€ 8,00 +VAT**

Light weight design  
Boom microphone  
Stylish headband  
Ideal for VOIP, Gaming and Multimedia application  
Comfortable cushion pads for prolong use  
Frequency Response: 15 - 20K Hz  
Sensitivity: 108dB ±3dB(at 1KHz 1)  
Impedance: 32Ω  
Rated input power: 30mW  
Maximum input power: 50mW  
Input Plug: 3.5mm plug (green)  
Cable length:2 - 2,5 meter



**K270 HEADSET MICROLAB**

**€ 10,40 +VAT**

Light weight design  
Boom microphone  
Stylish headband  
Ideal for VOIP, Gaming and Multimedia application  
Comfortable cushion pads for prolong use  
Frequency Response: 20 - 20K Hz  
Sensitivity: 108dB ±3dB(at 1KHz 1)  
Impedance: 32Ω  
Rated input power: 30mW  
Maximum input power: 50mW  
Input Plug: 3.5mm plug (green)  
Cable length:2 meter



**K290 HEADSET MICROLAB**

**€ 12,00 +VAT**

Excellent sound production  
Firm headband  
Boom microphone  
Large ear pads to reduce external noise, passive noise cancellation  
Frequency Response: 20 - 20K Hz  
Sensitivity: 108dB ±3dB(at 1KHz 1)  
Impedance: 32Ω  
Rated input power: 30mW  
Maximum input power: 50mW  
Input Plug: 3.5mm plug (green)  
Cable length:2 meter



**HD-3500G HEADSET ELEMENT**

**€ 12,80 +VAT**

STEREO HEADSET HD-3500G solidly constructed, offering a clear realistic sound. Unique design with an interesting shape of built-in, fixed microphone and ultra strong cable make the set especially recommended for using in places where we cannot expect too much care about the device: at schools, internet cafes or popular call centers.  
Speaker dimension : 40mm - Speaker impedance: 32 ohms  
Frequency response : 20-20000Hz - Sensitivity : 112dB+/-3dp  
Rated power :3mw - Power capability : 20mw  
Cable length : 2.2m+-0,15m



### HD-3000G HEADSET ELEMENT

€ 9,60 +VAT

STEREO HEADSET HD-3000G solidly constructed, offering a clear realistic sound. Unique design with an interesting shape of built-in, fixed microphone and ultra strong cable make the set especially recommended for using in places where we cannot expect too much care about the device: at schools, internet cafes or popular call centers.

Speaker dimension : 40mm - Speaker impedance: 32 ohms  
Frequency response : 20-20000Hz - Sensitivity : 112dB+/-3dp  
Rated power :3mw - Power capability : 20mw  
Cable length : 2.2m+-0,15m



### HD-1000G HEADPHONE ELEMENT TAKEDA

€ 18,75 +VAT

Simulation leather headband pad and earmuffs, wear a long time without feeling of oppression  
Earmuff filled high elastic sponge, completely eliminate the phenomenon of clamping ears  
High sensitivity to noise canceling microphone, can eliminate the environmental noise interference  
Mic Dimensions : 6.0 x 5.0mm  
Sensitivity : -62dB+/-3dB  
Directivity: omnidirectional  
Impedance: 2.2 K $\Omega$   
Speaker diameter : 50.00mm  
Impedance: 32 K $\Omega$   
Frequency response : 10-20000Hz  
Sensitivity : 105dB+/-3dB  
Max input power: 30mW  
Cord length : >/=2.2m



### HD-1100G HEADPHONE ELEMENT HOJO

€ 24,00 +VAT

Simulation leather headband pad and earmuffs, wear a long time without feeling of oppression  
Earmuff filled high elastic sponge, completely eliminate the phenomenon of clamping ears  
High sensitivity to noise canceling microphone, can eliminate the environmental noise interference  
Mic Dimensions : 6.0 x 5.0mm  
Sensitivity : -62dB+/-3dB  
Directivity: omnidirectional  
Impedance: 2.2 K $\Omega$   
Speaker diameter : 50.00mm  
Impedance: 32 K $\Omega$   
Frequency response : 20-20000Hz  
Sensitivity : -62dB+/-3dB  
Max input power: 30mW  
Cord length : >/=2.2m



### HD-2000G HEADPHONE ZEROGROUND HIRATE

€ 28,50 +VAT

Mic frequency range : 80Hz - 16KHz  
Mic sensitivity : -46dB +/-2dB  
Cable length : 2m  
Connectors : mic and audio jack 3.5mm  
Usb module sound 7.1  
Mic detachable



### HS0033 STEREO HIGH QUALITY HEADSET USB LOGILINK

€ 19,50 +VAT

Stereo High Quality Headset  
Connector Type: **USB**  
Impedanz: 32  $\Omega$   $\pm$  10 %  
Sensitivity: 105 dB  $\pm$  3dB S.P.L @ 1 kHz  
Frequency: 20 to 20.000 Hz  
Integrated Microphone  
High wearing comfort  
Cable length: 2 m





**HU-111 HEAVY- BASS PC GAMING USB HEADSET A4 TECH****€ 28,50 +VAT**

Super comfort headband width design provides ideal ergonomic fit. Premium refined contour with adjustable headband for personal preferences. Soft leather ear pads for long-hours of play

Noise-canceling Microphone: Deliver clear and crisp sound

Interface: USB 2.0

Speaker: 50 mm

Frequency range: 20 Hz-20 kHz

Impedance: 32 Ohm

Sensitivity: 102 dB

Vibrator diameter: 30 mm

Vibrator impedance: 16 Ohm

Cable length: 2 m

**T-100-2 FOLDING HEADSET (BLUE) A4 TECH****€ 11,20 +VAT**

Plug: 3.5 mm stereo

Frequency response: 18Hz-20 kHz

Speaker: 36 mm

Speaker rated impedance: 32 ohm

Speaker sensitivity: 100 dB

Mic sensitivity: -45 dB

Cable length: 1.2 m

System Requirements:

Windows 2000 / XP / 2003 / Vista / Windows 7

**L-610 FOLDING HEADSET A4 TECH****€ 12,80 +VAT**

Speaker: 40 mm

Frequency range: 20 Hz-20 kHz

Impedance: 32 ohm

Sensitivity: 102 dB

Cable length: 1.8 m

System Requirements:

Windows 2000 / XP / 2003 / Vista / Windows 7

**HD-660K HEADPHONES ELEMENT****€ 12,80 +VAT**

Extra comfort cushions surround the ear, eliminating any outside noises.

High definition sound system provides a strong bass and extra clarity.

In line mic allows you to make or receive calls, while in-line controls let you play/pause skip tracks and answer/end calls. Long tangle-free flat cable provides a hassle-free listening experience. Compatible with various tablet, smartphones, ultra books and other devices with 3.5mm plug.

Premium 40mm Drivers Neodymium

One touch button to answer calls & music controls designed for high performance bass, mids and highs

Frequency response: 20-20000Hz / Impedance: 32Ω

Sensitivity: 105dB +/-3dB / Mic Sensitivity: 54dB +/-2dB

3,5mm Gold Plated


**K360 RED HEADSET MICROLAB - RED**  
**K360 WHITE HEADSET MICROLAB - WHITE**
**€ 15,20 +VAT**  
**€ 15,20 +VAT**

Output power: 50 mW

Driver unit: 40 mm diameter

Sensitivity: 108 dB ± 3 dB

Frequency range: 15 Hz - 20 kHz

Impedance: 32 Ohm

**Ear cups**

Material: PU

Size: 70 mm (W) x 90 mm (L)

**Interfaces**

Input: 3.5 mm stereo



**K380**

**HEADSET MICROLAB**

**€ 19,50 +VAT**

Two stereo 40mm drivers for reproducing clear sound with impedance of 32 Ohms  
Supra-aural or on-ear cups for lightweight  
Built-in microphone lets you chat online with friends or family  
Adjustable length and lightweight headband  
Foldable sides for small size storage  
PU ear cups for comfortable wear 83 mm (diameter)  
Output power: 50 mW  
Driver unit: 40 mm diameter  
Sensitivity: 108 dB ± 3 dB  
Frequency range: 15 Hz - 20 kHz  
Impedance: 32 Ohm  
Input: 3.5 mm stereo  
Plug: Gold plated



**P281**

**COMFORT FIT USB HEADPHONE ARCTIC COOLING**

**€ 28,50 +VAT**

The **ARCTIC SOUND P281** is a full-sized DJ headphone that incorporates high-end materials and advanced engineering to satisfy every DJ's needs. The 90-degree swivel mechanism on both earcups create high flexibility for single-sided monitoring. Moreover, the folding design makes the ARCTIC SOUND P281 easy to store on the go.  
The coiled cable gives maximum flexibility when using it in a disco setting.  
The **ARCTIC SOUND P281** has an adjustable and padded headband to provide excellent listening comfort. Leather lining and soft cushions on the earcups provide a secure fit and allow the headset to rest on the ears comfortably  
The superior output power and highly sensitive 50mm drivers make the ARCTIC SOUND P281 suitable to use in disco surrounding.  
For connections to all kinds of devices, the headset features a 3.5mm gold-plated jack and is equipped with a 6.3mm adapter



**RH-300**

**WIRELESS HD HEADSET A4 TECH**

**€ 28,35 +VAT**

The Wireless Headset Delivers all with Brilliant H-Def Audio with Enhanced Bass.  
Multi-Link Share: 1 Nano Receiver Connets Up to 4 Headsets  
Auto Channel Hopping: Automatically Select the Optimal Channel to Avoid RF Interferences.  
Dual Antenna allow you to Enjoi Music with Omni-direction.  
Anti-interference: Receiver Paired and Locked Down to Keep Original Sound Quality  
Desing: on-the-Head. Color: Black+Silver / Button No: 3  
Function button for: Volume±, Power switch  
Frequency range: 20Hz-20KHz / SNR: 90dB  
Voltage: 3.7V / Current: 37.5mA (Medium volume)  
Li-Battery Capacity: 300mA  
Talk Time: Continuous Use for Up to 8hrs  
Charging time: 1.8 hours  
Driver Unit: 40mm  
Effective Range: 10M, 360



**HS0012**

**MULTIMEDIA MICROPHONE WITH STAND FOOT LOGILINK**

**€ 4,80 +VAT**

Sensitivity: -58dB +/- 3dB  
Directivity: omnidirectional  
Impedance: < 2.2K Ohm  
Operating voltage: 4.5 v  
Frequency range: 100 - 16KHz  
S/N Ratio: > 60dB  
Operation mode: Mono  
Connector: 3.5 mm phone jack. Connection cable: 2 m



**MC-100 MICROPHONE ELEMENT**

High quality, noise-canceling, direction desk microphone  
For general audio input including voice-over-IP applications  
ON/OFF switch offers convenient control  
Weighted base for increased stability  
Extra expansion socket for easy headphones connection  
Flexible microphone arm. 1,5m cable length  
Frequency response: 20HZ-20KHZ  
Sensitivity: -58dB+2dB



**€ 6,40 +VAT**





# RAPTICAL LTD

The Computer Company

tel: 25-312139, 25-430202, 99-412448  
www.raptical.com

fax: 25-430232  
sales@raptical.com

Address: Shop G14, Anna Court 4, 2 Georgios A str., 4047, Potamos Yermasoyas, Limassol, Cyprus

## Speakers

### MD112 MICOLAB PORTABLE SPEAKER

€ 21,60 +VAT

Travel with music entertainment, this portable speaker system gives you mobility without boredom.

Connects to your mobile, Mp3 or Mp4 player via 3.5mm connection for bigger sound.

Enhance your notebook sound and turn your travel into delights.

Comes with rechargeable battery for prolong use.

Many options of playback, listen to FM radio broadcast, digital music from memory storage, and connection to your personal headphones or earphones.

FM radio comes with 20 preset stations

for you to save your favourite channels.

Portable speaker with multimedia functions

Speaker for media player, notebook and desktop computer

SD card media reader. FM radio receiver, 87.5 MHz to 108.0 MHz

Support USB media storage device for use on computer as card reader



### SP0033 "CUBE" BLUETOOTH SPEAKER, ALUMINIUM

€ 31,05 +VAT

Supports Bluetooth V3.0 + EDR, Class2

Excellent audio quality with powerful bass

Volume control +/-

Built-in Microphone

Music time: up to 3 h / Standby: up to 400 h

Range: 10 m

Built-in lithium-Polymer battery

Built-in lithium-ion battery

Additional 3,5 mm Audio-In

Color: silver/anthrazit



### 13BT-BLK PORTABLE BLUETOOTH SPEAKER WITH ONE TOUCH PAIRING - NFC

€ 39,15 +VAT

### BT-WHITE PORTABLE BLUETOOTH SPEAKER WITH ONE TOUCH PAIRING - NFC

€ 39,15 +VAT

### 3BT-BLUE PORTABLE BLUETOOTH SPEAKER WITH ONE TOUCH PAIRING - NFC

€ 39,15 +VAT

### S113BT PORTABLE BLUETOOTH SPEAKER WITH ONE TOUCH PAIRING - NFC

€ 39,15 +VAT

**ORANGE** Enjoy the high quality wireless music of the S113 BT.

(Near Field Communication) and Bluetooth technologies, pairing the S113 BT with your device becomes quick and hassle-free.

Simply tap your Smartphone on the speaker, and your phone

is ready to stream your favourite tunes freely without any cord

Bluetooth 4.0 with low energy mode for an extended standby time

Dimensions: 58 L x 46 W x 157 H mm

Speakers: 2 x 1.5" Full range Drivers + 2x 1.5" Bass Radiators. Output Power (RMS): 2 x 3W

**Compatibility:** Smartphones: Apple iPhone, Samsung Galaxy, HTC, Motorola, Nokia Lumia, RIM Blackberry, Sony Xperia, LG, and phones with a 3.5 mm jack

Portable Media Players: iPod, iPad, MP3 players, video and DVD players with a 3.5 mm jack

Laptops and Computers: Laptops and computers with a 3.5 mm jack

Gaming Consoles: Gaming consoles with a 3.5 mm jack



**SP-10S SPEAKER ELEMENT SILVER****€ 7,50 +VAT****SP-10K SPEAKER ELEMENT BLACK****€ 7,50 +VAT****SP-10R SPEAKER ELEMENT RED****€ 7,50 +VAT**

DIGITAL ELEMENT offers powerful sound and sound reproduction. Despite the space saving design creates a pleasant speaker system and nearly distortion-free sound. Power is supplied via the USB port, the connection is via a 3.5 mm jack plug and suitable for PC, notebook, MP3 player etc.

Accurate sound reproduction

Connector: 3.5 mm Stereo jack

Output power: 2x 2,5 watts

Frequency response: 80Hz 20KHz

**Power supply via USB 2.0**

Volume control

**B16 2.0 MULTIMEDIA SPEAKERS****€ 10,50 +VAT**

Stereo speakers for computer, Mp3/Mp4, and iPod.

Light weight and compact design

2" speaker drivers designed for full range resolution

USB powered, no battery needed

Connects to any 3.5mm stereo jack

Master volume for additional level adjustment.

Output Power: 2.5 Watt x 2

F/R: 120 Hz - 20 kHz

S/N: > 65 dB

Separation: > 45 dB

Dimensions (W x H x D): 89 x 89 x 67 mm

**S111 USB-POWERED PORTABLE SPEAKERS****€ 14,25 +VAT**

The ARCTIC SOUND S111 is the ultra portable speaker system that entertains you anywhere.

It either replaces mediocre notebook speakers or connects to an MP3-player for the audiophile on the go.

Measuring just 7 x 7 x 7 cm, with a weight of 500 grams only,

the ARCTIC SOUND S111 is highly portable

and fits into every backpack.

They also squeeze into the tiniest corner

making it suitable for desktop

PCs as well. Using the standard 3.5mm jack,

the ARCTIC SOUND S111 can also be used

with a wide range of audio devices.

**SP0026 ACTIVE SPEAKER 2.0 STEREO, BLACK/SILVER, LOGILINK****€ 9,00 +VAT**

The active speaker from LogiLink offers powerful sound and sound reproduction. Despite the space saving design creates a pleasant speaker system and nearly distortion-free sound. Power is supplied via the USB port, the connection is via a 3.5 mm jack plug and suitable for PC

notebook, MP3 player etc.

Accurate sound reproduction

Connector: 3.5 mm Stereo jack

Output power: 2x 2.4 watts

Frequency response: 60Hz 20KHz

Input Impedance: 2x 40hm

Headset jack on the front

Power supply via USB 2.0

Volume control, Power On/Off, Color: Black



**B18 MICROLAB PORTABLE SPEAKER**

**€ 13,35 +VAT**

Desktop stereo system for notebook or desktop computer, and multimedia playbacks such as Mp3 or Mp4 player.  
High quality all round speakers for wide variety of sound playbacks. Desk tower version and ideal for placement beside LCD monitor. Easy to use with volume knob on the side and additional jack for headphones. Comes with AC/DC power supply.  
Slender and sleek design, unintrusive concept speakers for Mp3, Mp4 players, Notebooks, and PC  
2" designed full range aluminium cone speakers with powerful Bass  
Magnetically shielded for interference free positioning  
Headphone jack and volume control knob on speaker side for convenient access and LED power indicator



**SP-40K 2.0 SPEAKERS ELEMENT**

**€ 12,00 +VAT**

Laptop best partner, small sized and fashion design, easy to carry.  
USB powered, portable use.  
Pure and elegant sound quality with unsurpassed effect  
Output power: 3WRMS x 2  
Driver unit: 2" 4Ω x 2  
Frequency response: 90Hz-20KHz  
Separation: 70 dB  
Distortion : 0.3%  
S/N: 60dB  
Power supply: USB cable



**SP-50 2.0 SPEAKERS ELEMENT**

**€ 16,50 +VAT**

Laptop best partner, fashion design, USB- powered, portable use.  
Pure and elegant sound quality with unsurpassed effect.  
Magnetically Shielded. Surround sound - USB OR AC POWER  
Output power : 4WRMS / 2  
USB power supply OR AC  
3.5mm connector  
Plug and play  
Independent volume control panel design  
USB 2 audio  
45 magnetic horns 84031C  
Product size : 242x178x230



**B56 MICROLAB USB SPEAKERS**

**€ 16,50 +VAT**

Microlab B56 is the quality stereo speaker exclusive for your desktop entertainment.  
With the compact cabinets and mini USB port connection, it can be easily to use with your laptop and pc.B56 provides power-save solution. Simply connect it with the USB interface you can reduce your power consumption to an extremely low level.  
It is also very convenience for audio input from PC and meida source.  
Quality stereo speakers for general entertainment  
Compact dual channel sound system for PC / Notebook and media players  
Made from wood material for natural sound production  
Wired control for easy and quick access  
Connects to your PC / Notebook and media player easily with 3.5 mm stereo plug USB powered, no batteries or AC power adapter required



**SP-400 SMALL SOUNDBAR ELEMENT****€ 19,50 +VAT**

DIGITAL ELEMENT SP-400 speaker for use with home audio systems, PCs and game consoles. DIGITAL ELEMENT SP-400 speakers perfectly reproduce the sound, so that gaming, listening to music or watching movies is a real pleasure now.

Magnetically shielded. Surround Sound.

Output power: 5W X2WRMS

Signal to Noise Ratio: 70dB

Frequency: 60Hz-18kHz

Distortion: 0.3% (1W 1KHz)

Input sensitivity: 600 -100 MV

Speaker impedance: 4Ω

Power: USB/AC

Compatible: PC/CD/DVD player /TV/Cell Phone / Tablet / MP3 Player

**SP-200 2.1 SPEAKERS ELEMENT****€ 19,50 +VAT**

DIGITAL ELEMENT SP-200 speaker set of 2 satellites with wooden subwoofer recommended for use with home audio systems, PCs and game consoles.SP-200 speakers perfectly reproduce the sound, so that gaming, listening to music or watching movies is a real pleasure now.

3-channels speakers set

2 satellites + subwoofer

Magnetic shielded

3.5mm audio output jack

Output RMS: 10W (5W + 2x2.5W)

Frequency response:150Hz-20KHz

Wooden woofer box

**USB POWER**

**SP-300 2.1 SPEAKERS ELEMENT****€ 22,95 +VAT**

DIGITAL ELEMENT SP-300 speaker set of 2 satellites with wooden subwoofer recommended for use with home audio systems, PCs and game consoles.

DIGITAL ELEMENT SP-300 speakers perfectly reproduce the sound, so that gaming, listening to music or watching movies is a real pleasure now.

Output power: 5W+3W X 2WRMS

Signal to Noise Ratio: 60dB

Frequency: 90Hz-20kHz

Distortion: 0.3% (1W 1KHz)

Input sensitivity: 600 -100 MV

Speaker impedance: 4Ω

Power: USB

Compatible: PC/CD/DVD player /

TV/Cell Phone / Tablet / MP3 Player

**SP-500 2.1 SPEAKERS ELEMENT****€ 40,50 +VAT**

DIGITAL ELEMENT SP-500 speaker for use with home audio systems, PCs and game consoles.

The speakers perfectly reproduce the sound, so that gaming, listening to music or watching movies is a real pleasure now. Hi Fi 2.1 Multimedia Speakers , Plug and play USB & SD/MMC card, Wireless remote control, volume controller, Digital Display Surround Sound, FM radio,

SD card, Remote control, Usb slot

Output power : 8W +3W X2RMS

Frequency response: 40Hz-20kHz

Distortion: 0.3% (1W 1KHz)

Driver unit

-subwoofer 4" 6Ω 20Wx1

-satellite 3" 4Ω 10Wx2

Power : AC 50Hz





**M300(14) 2.1 MULTIMEDIA SPEAKERS****€ 33,75 +VAT**

Quality 2.1 speaker system with built-in amplifier  
 Satellite speakers with metal diamond texture  
 Front panel volume controls  
 Ideal for your favourite entertainment  
 from Mp3, Mp4, CD/DVD movies and digital playbacks  
 Specially designed woofer for bass and resolution  
 Comes with 3.5mm stereo connection that connects  
 to most media players and computers  
 Output power: 12W x 2 + 16 W  
 Frequency response: 35 Hz - 20 KHz  
 Signal/ Noise ratio: > 80 dB  
 Separation: > 45 dB  
 Speaker type: 5" + 2" x 2,  
 Dimensions ( W x H x D): woofer size: 160 x 215 x 270 mm  
 Satellites size: 76x 180 x 70 mm

**M200(09) 2.1 MULTIMEDIA SPEAKER****€ 41,85 +VAT**

**Features:**  
 Elegant with great audio performance, Microlab Top 1 selling 2.1 system,  
 award winning product for best performance and design,  
 wired remote control with MP3 input & headphone output

**Specifications:**  
 Power Output: 12W x 2 + 16W  
 Speaker: 5" + 2.5" x 2  
 F/R : 40Hz-20KHz  
 S/N: 80dB  
 Separation: 45dB  
 Dimensions: (DxWxH)  
 (Woofer) 270x189x156mm  
 (Satellite) 90x170x90mm

**FC550 2.1 STEREO SYSTEM MICROLAB****€ 64,80 +VAT****Technical Specifications****Amplifier specs**

Output power	54, Watt RMS
Power distribution	15x2+24, Watt
Harmonic distortion	0,3, % (1Watt, 1kHz)
Frequency response	35-20 000, Hz
Signal/Noise ratio	75, dB
Separation	45, dB

**Speakers specs**

Tweeter driver type	2,5,
Tweeter rated power	15, Watt
Bass driver type	5,25 X-bass,
Bass rated power	24, Watt
Material	MDF/plastic
Color	black
Remote control	1

**Interfaces**

Output	3RCA
Input	2 RCA
Auxilliary	3,5 stereo

**Dimensions**

Satellites	100 x 85 x 165, mm
Subwoofer	258 x 214 x 220, mm
Amplifier	210 x 77 x 200, mm
Product Net weight	5,80, kg





## M700U 2.1 SPEAKERS WITH USB & SD CARD SLOT

€ 55,20 +VAT

Powerful 2.1 subwoofer system for multimedia performances  
Ideal for digital movies, TV, CD/DVD and Mp3/Mp4 playbacks  
Front control and digital media interfaces  
Wireless remote control for easy convenient adjustment  
Satellites with crystal clear tweeter drivers  
Reflex tunnel design for efficient bass driver,  
deeper bass and depth. Comes with multi-input  
interfaces for various playback modes such as  
USB dongle and SD card, 3.5mm and 2RCA jacks  
FM radio tuner with telescopic antenna  
Subwoofer: 165 x 290 x 240 mm (L x H x D)  
Satellites: 90 x 75 x 180 mm (L x H x D)  
Amplifier: Output power: 46 Watt RMS  
Speakers: Tweeter driver type: 2.5" x 2  
Tweeter rated power: 15 Watt x 2 4 ohm  
Power: AC power: AC 220 V - 240 V, 50 Hz 200 mA or 120 V, 60 Hz 400 Ma



## SP-1000G 2.1 SPEAKERS ELEMENT

€ 72,00 +VAT

Speaker Gaming Zeroground SP-1000G-ERA 70WRMS for use with home audio systems, sound  
PCs and game consoles. Magnetic shielded, Usb Slot, Remote control, Surround sound  
Hi Fi 2.1 Gaming Multimedia Speakers  
Plug and play Usb  
Wireless remote control  
Volume controller  
Output power : 40W+15Wx2 (RMS)  
Power AC 220V 50Hz  
Driver unit  
-subwoofer 4" 8Ω 40Wx1  
-satellite 3" 8Ω 15Wx2  
frequency response : 40Hz-20KHz



## SOLO5C STEREO AMPLIFIED SPEAKER

€ 94,80 +VAT

Beautiful wooden cabinets with excellence sound quality,  
powerful 2-way speaker system  
Crystal clear dynamic highs, balanced mid range and deep bass  
Reference monitor quality, driven by high quality drivers  
Each cabinet with 1" tweeter for high notes  
and woofer for mid to low depths and bass.  
Includes wireless remote control  
Ideal for high fidelity music, movies and digital media playbacks  
Output power: 80 Watt RMS  
Power distribution: 40 Watt x 2  
Harmonic distortion: < 0.3% 1W 1kHz  
Frequency response: 55Hz - 20kHz  
Signal/Noise response: > 85dB  
Separation: > 55dB  
Input sensitivity: 440mV  
Nominal impedance: 4 ohm  
Product dimension: 174 x 257 x 309mm, Product net weight: 10.00kg



## SOLO9C STEREO SYSTEM MICROLAB

€ 162,00 +VAT

### Technical Specifications

#### Amplifier specs

Output power	140, Watt RMS
Power distribution	70x2, Watt
Harmonic distortion	0.3, % (1Watt, 1kHz)
Frequency response	50 -20 000, Hz
Signal/Noise ratio	80, dB
Separation	60, dB

#### Speakers specs

Tweeter driver type	1,5,
Bass driver type	6,5,
Material	MDF

#### Interfaces

Output	terminals, HDMI
Input	2RCA
Auxilliary	HDMI, Toslink, Coaxial

#### Dimensions

Satellites	214x575x323, mm
Product Net weight	21,9, kg



## X23 MULTIMEDIA ACOUSTICS SYSTEM

€ 102,00 +VAT

Multimedia Home Theatre system with super acoustic performance, a perfect acoustic effect could be reached if connect to the audio source with AC-3 or DTS decoder.

With AUX input which could convert Stereo Audio Source to 5.1 playback mode.

Remote control for easy operation. Independent Amplifier with Digital LED Display

Stand-by function makes the System much safer and more reliable

Enhanced subwoofer with acoustic Air Flow Design to reach a powerful bass performance

Unique V12 Treble Speaker Unit create crystal clear sound.

#### Specifications:

Power Output:(Woofer) **29W RMS**

(Satellite) **14W x 5 RMS**

Frequency Response:

(Woofer)30Hz-140Hz

(Satellite)140Hz-20KHz

Sensitivity Input:380mV

Distortion:0.3% at 1W 1KHz

S/N Ratio:more than 70dB

Separation:more than 40dB

Driver Unit:(Woofer Driver)

5.25" magnetically shielded

(Satellite Driver)2.5" V12 magnetically shielded

Product Size(LXWXH):(Amplifier)296x90x250 mm

(Satellite Speaker middle)130x210x118 mm, (Satellite Speaker anterior) 105x88x164 mm



## ID130 DOCK FOR iPod AND iPhone 4/4S

€ 39,15 +VAT

- Connects to high fidelity speaker systems or amplifiers for high quality audio production
- Turn your portable audio to high fidelity enjoyment and entertainment
- Connects to iPod touch, iPod classic, iPod video, iPod nano, iPhone, and so on, refer to support list below.
- Auxilliary audio input for other digital audio playback devices
- Video pass-through function for iPhone video playback to larger screen or TV formats
- Automatically charge iPod, and iPhone products
- Full function infrared remote control and master volume control

### Technical Specifications:

Frequency response: 20Hz - 20kHz

Distortion: < 0.05% (1V RMS 1kHz)

Separation: > 70 dB

Volume: Rotary dial

Power LED: Blue LED



### Made for.:

iPod (20GB, 30GB, 40GB, 60GB only), iPod (photo) 40GB, 60GB only,

iPod (color) 30GB, 60GB only, iPod (video) 30GB, 60GB, 80GB only, iPod mini (4GB, 6GB only),

iPod nano (1GB, 2GB, 4GB, 8GB only)

iPhone 3GS, iPhone 3G, and iPhone 4/4S

### Interfaces:

Audio inputs: iPod 30 pins, 3.5mm stereo plug

Audio interface: Support any audio playback devices with 3.5mm stereo plug

Line out: 2 x RCA interfaces

Video out: 1 x RCA composite and 1 x S-Video interfaces

