



# RAPTICAL LTD

The Computer Company

tel: 25-312139, 25-430202, 99-412448  
www.raptical.com

fax: 25-430232  
sales@raptical.com

Address: Shop G14, Anna Court 4, 2 Georgios A str., 4047, Potamos Yermasoyas, Limassol, Cyprus

## USB Products

### ARCTIC HUB USB 2.0 HUB 4PORT ARCTIC COOLING

Featured with a high-speed connection  
with a data transfer rate of upto 480Mbps  
Four conveniently ports  
Designed to fit anywhere  
Including a cable of 1,5m



€ 5,20 +VAT

### HUB-64 USB 2,0 HUB

Easy installation to meet any cable application  
Support hot plug and play, connect and remove peripherals any time  
Fully compatible with USB 2.0 or 1.1 peripheral products  
Downstream ports have automatic connect and speed detection  
function plus over-current protection with auto recovery  
FCC class B, CE, Windows 98/SE/ME/2000/2003/XP, Mac OS9x & 10X



### HB-300W USB HUB ELEMENT WITH PSU - WHITE

USB 2.0 Hub 4 x USB ports Compliance to USB 2.0 standard LED indicator for Activity Max.  
data transfer rate: 480 MBit/s 5V/1A USB cable and power supply included  
No driver installation required Hot Plug / Plug & Play  
4 USB 2.0 ports up to 100mA per port  
or up to 500mA ( with power adapter)  
Supports both high-speed (480 Mbps),  
full-speed (12 Mbps), and low-speed  
(1.5 Mbps) transfer rate  
Truly Plug & Play automatic system  
configuration  
Chains up to 127 USB devices  
USB compatible



€ 7,80 +VAT

### HB-300K USB HUB ELEMENT WITH PSU - BLACK

**Overview:** USB 2.0 Hub 4 x USB ports Compliance to USB 2.0 standard  
LED indicator for Activity Max.  
data transfer rate: 480 MBit/s 5V/1A USB cable  
and power supply included  
No driver installation required  
Truly Plug & Play automatic system configuration  
4 USB 2.0 ports up to 100mA per port  
or up to 500mA ( with power adapter)  
Supports both high-speed (480 Mbps),  
full-speed (12 Mbps), and low-speed  
(1.5 Mbps) transfer rate  
Chains up to 127 USB devices  
USB compatible



€ 7,80 +VAT

**UA0128 LOGILINK USB 2.0 HUB, 4-PORT, WITH ON/OFF SWITCH**

**€ 16,90 +VAT**

USB 2.0 Hub  
4x USB Ports  
Compatible with USB 2.0 standard  
Maximum speed: 480 Mbit/s  
5V/2A USB cable and AC adapter included  
No driver installation required  
Hot Plug and Plug & Play  
An on/off switch for each USB port allows each port to switch off.



**UA0124 USB HUB, USB 2.0 7PORT, 480Mbps**

**€ 15,60 +VAT**

Plug and Play, 7 ports USB 2.0



**UA0096 USB 2.0 HUB 10-USB PORTS**

**€ 19,50 +VAT**

USB 2.0 Hub  
10x USB ports  
Compliance to USB 2.0 standard  
LED for activity  
Max. data transfer rate: 480 MBit/s  
USB connection cable and 5V/3.5A power supply included  
No driver installation needed  
Supports Hot Swap / Plug & Play



**UA0126 USB 2.0 HUB, 13-PORT WITH ON/OFF SWITCH**

**€ 24,70 +VAT**

The fast USB 2.0 Hub supports the modern standard with up to 480 Mbit/s transfer speed extended by 10 USB 2.0 Ports. You can also connect all USB devices of older generations. An on/off switch allows turning off the hub. A 230-volt AC adapter and a USB cable are included.



**IB-LAN104 4x Network USB Storage**

**€ 60,00 +VAT**

IB-LAN104 allows connect up to 4 external device to your network via USB the usage of the integrated HTTP web server to use a normal printer as network attached printer Support 4x USB 1.1/2.0, Chipset Elite Silicon Transferrate USB up to 480Mb/s Transferrate ethernet 10/100Mb/s True Plug & Play, External poweradaper 5V 2A Scope of supply: IB-LAN104, external power supply, ethernet cable, manual, CD for application

**ICY BOX**



**CR0035 USB 2.0 HUB, 6-PORT WITH CARDREADER, METAL LOGILINK**

**€ 20,80 +VAT**

6x USB ports und LED status indicator  
Compatible with USB 2.0/1.1 standard  
Maximum speed: 480 Mbit/s  
Suitable for: CF / MS / XD / SDHC / Micro SD  
No driver installation required  
Metal housing with mounting rack  
USB connection cable and 5V/2A power supply included



**MS-8 HUB MASTER**

**€ 9,10 +VAT**

Simple wiring with computer device and accessories; Mouse, Keyboard, Headset, Microphone, MP3 player, CD player etc Direct connection by extension cable without driver



**US221A USB DATA SWITCH, 1 USB DEVICE INTO 2 PC'S**

Manual USB Switch, 1 USB device into 2 PC's,  
2 x USB type B connector, 1x USB connector type A.  
Required cable: USB cable plug A to plug B for PC's



€ 23,40 +VAT

**US421A ATEN USB 2.0 DATA SWITCH, 1X USB 2.0 DEVICE TO 4 PC'S, ELECTRONIC**

This USB 2.0 switch allows a USB 2.0 device to 4 PC's to operate.  
Users can switch simply by switching on the USB device  
and then select run as a directly connected device  
4 PC's share one USB 2.0 device  
Electronic switching / Powered via USB bus  
Select the active PC via the device for Windows and Mac  
Also can be used for multi-function printer



€ 35,10 +VAT

**UA0181 USB 2.0 HUB 2-PORT WITH DOCK CONNECTOR CABLE LOGILINK**

USB cable with Dock Connector and additional USB port  
Suitable for example to charge Smartphones  
without losing the used USB port  
Connector Computer: USB A Male, Connector Hub: USB A female  
Connector Cable: Dock Connector  
Compatible with USB 2.0/1.1  
Data transfer rates up to 480 Mbit/s  
Cable length: 10 cm



€ 10,40 +VAT

**UA0001A REPEATER CABLE USB 2.0 5m LOGILINK**

USB 2.0 Extension cable  
Connector 1: USB A male  
Connector 2: USB A female  
Max. Transfer rate: 480 Mbit/s, Cascadable  
Color black



€ 8,45 +VAT

**UA0108 LOGILINK EXTENSION CABLE WITH 4-PORT USB 2.0 HUB 12m**

USB 2.0 extension cable  
Connector 1: USB-A male, Connector 2: 4x USB A female  
Max Transfer Rate: 480 Mbit/s  
5x Cascadable up to 60 meters  
Cable length: 12 meters / Color: White  
Cable specification: 20AWGx2C, 26AWGx1P, UL2725  
The LogiLink repeater cable with included USB 2.0 4-Port Hub can expand  
your USB 2.0 cable length up to 60 meters, by connecting upto 5 repeater cables  
Through the shielding it is protected from electromagnetic interference.



€ 27,30 +VAT

**RUSB-002 CABLE USB REPEATER 10m ACULINE**

The USB2.0 Active Repeater Cable is a 10M extension cable that contains active electronics which  
regenerate the USB signal for maximum reliability and performance  
over extended distances at maximum transfer rate of 480Mbps.  
Compliant with USB2.0/1.1 specification  
High Transfer rate up to 480Mbps, Supports Windows/Mac OS  
USB Bus Power. No External Power needed  
Plug & Play - No additional drivers required  
Connector: USB A male to USB A female  
Cable spec.: UL2725, 20AWG x 2C + 28AWG x 1P



€ 14,30 +VAT

**UA0143 LOGILINK EXTENSION CABLE USB 2.0, BLACK, 10m**

**€ 16,90 +VAT**

Connector 1: USB-A male, Connector 2: USB-A female  
Max. Transfer Rate: 480 Mbit/s  
No external power needed  
Cable specification: 20AWGx2C, 26AWGx1P, UL2725  
Color: Black

The maximum USB cable length is 5 meters in accordance with standard.  
With this LogiLink cable repeater you can extend your USB 2.0 cable length to 10 meters.

Through the shielding, it is protected from electromagnetic interference.



**UA0145 LOGILINK EXTENSION CABLE USB 2.0, BLACK, 15m**

**€ 23,40 +VAT**

**UA0146 LOGILINK EXTENSION CABLE USB 2.0, BLACK, 20m**

**€ 29,90 +VAT**

**UA0147 LOGILINK EXTENSION CABLE USB 2.0, BLACK, 25m**

**€ 35,10 +VAT**

**UA0021D LINE EXTENDER USB VIA CAT5/6 UP TO 60m**

**€ 16,90 +VAT**

Compliant with USB 1.1 standard  
Allows a USB device to extend cable length up to 60m  
Embedded USB 1.1 Transceivers prevents signal loss  
Easy connected by a Cat5e/6 networking cable  
In comparison with extension of cable using USB device like Hubs, Printer, Scanner, Mouse and Camera etc.  
No driver installation needed



**PU-160 USB VISTA KABEL - 2,50m**

**€ 15,54 +VAT**

Easy transfer cable for Windows Vista USB A-male to A-male  
This USB Transfer cable is designed to working with Windows Vista and Windows Easy Transfer.  
Install software on your Windows XP computer and then plug the cable into both computers.  
Windows Easy Transfer launches automatically and guides you through the transfer process.  
Easy Transfer Cables for Windows Vista enables users to transfer their data from PCs running Windows XP or Windows Vista to a PC running Windows Vista



**UC100KM ATEN UC100KM USB TO PS2 Converter**

**€ 26,00 +VAT**

UC100KMA is a signal converter with a 30cm cable. It can convert signals of PS/2 devices (keyboard and mouse) into USB signals, and supports multiple operating systems to fulfill the needs of users.

**Features:**

- Two PS/2 devices (keyboard and mouse) to USB Interface converter
- Supports PS/2 mice and microsoft IntelliMouse
- Hotkey selection for OS and keyboard language supports
- Compatible with KVM Switches
- USB specification compliant
- External power adapter not required
- Easy installation - no software required
- OS Support: Windows 2000, Windows XP, Windows Vista, LINUX, Mac, Sun and FreeBSD



**AD0007 ADAPTER USB 2.0 TO eSATA + S-ATA I+II**

**€ 14,30 +VAT**

Hot plug and play USB interface. Easily connect external SATA and SATA II hard disks with USB 2.0. No driver installation necessary, only connect to the USB port. Compliant with Serial ATA 1.0a specification with support for full complement of SATA II optional features  
Supports SATA-II Port Multiplier Function  
Compact and pocket size-ideal for mobile use  
Supports High speed USB 2.0 data transfer / Dimension: 66 x 12 x 6mm



**UA0025C USB 2.0 TO FAST ETHERNET ADAPTER TO RJ45 ADAPTER****€ 18,20 +VAT**

Converts a USB 2.0 Port to Ethernet Adapter. Best for Notebook PC Without Network Adapter But Requiring Broadband/LAN Connection. USB 2.0 Compliant.  
 480Mbps High Speed IEEE802.3u Flow Control for Full Duplex Mode  
 Support USB Standard Commands. Support Suspend Mode & Wake-Up Resume. Efficient TX/RX FIFO Auto Management  
 Bus-Powered, No Need for External Power Source / Chipset: MosChip

**IB-AC501 USB 3.0 TO GIGABIT ETHERNET ADAPTER****€ 26,00 +VAT**

USB 3.0 A-Type to RJ-45 Ethernet Port  
 Compatible to USB 2.0/USB 1.x  
 IEEE 802.3, 802.3u and 802.3ab standards  
 Transfer rate: 10/100/1000 Mbit/s (Full/Half-Duplex)  
 Supports Jumbo Frames  
 With full EMI shielding. Very compact design

**UA0184 USB 3.0 TO GIGABIT ADAPTER****€ 28,60 +VAT**

USB 3.0 to Gigabit Adapter connection to desktop, notebook PC, and embedded system using USB ports  
 Connector 1: USB A male, Connector 2: RJ 45 female, supporting Auto MDIX  
 Compliant to USB 3.0/2.0/1.1 standard  
 Ethernet: IEEE 802.3, 802.3u, and 802.3ab (10Base-T, 100Base-TX, and 1000Base-T)  
 Max. Transfer rate: 10/100/1000 MBit/s  
 Supports Jumbo packet of up to 9KB  
 Supports both full-duplex and half-duplex operation in Fast Ethernet. Automatic speed detection

**UA0174 USB 2.0 TO FAST ETHERNET ADAPTER WITH 3-PORT USB HUB LOGILINK****€ 20,80 +VAT**

USB 2.0 to RJ45 Adapter with 3-Port USB Hub  
 Connector 1: USB (Type A) male  
 Connector 2: RJ 45 female  
 Connector 3: 3-Port USB Hub  
 Ethernet: IEEE802.3u  
 Max. Transfer rate: 10/100 Mbit/s  
 Automatic speed detection  
 According to USB 2.0 standard specification  
 LED for USB and network

**IB-AC510 MICRO USB 2.0 TO ETHERNET (10/100MBPS) ADAPTER****€ 26,00 +VAT**

Micro USB 2.0 A-Type to RJ-45 Fast Ethernet  
 Port adapter  
 Transfer rates: USB 2.0 up to 480Mbit/s,  
 LAN up to 10/100 Mbit/s  
 Supports IEEE 802.3, 802.3u standards  
 Supports Windows XP/Vista/7/8/8.1, Mac OS, Linux  
 Plug and Play with Windows 8/8.1

**UA0078 USB AUDIO ADAPTER, VIRTUAL 7.1 SURROUND SOUND****€ 10,40 +VAT**

Small-sized InLine® USB audio adapter is a small sound card with integrated virtual 7.1 sound chip for equipping e.g. older notebooks cheaply with impressive sound performance.  
 Very easy installation: plug in audio adapter, install drivers, finished.  
 USB to Audio adapter with virtual 7.1 sound  
 2x 3.5mm jack bush for Audio output  
 and Microphone input / For Win 98SE/2000/ME/XP/Vista/Mac



**SC-1000G SOUND CARD ZEROGROUND USB 7.1 HIGO****€ 11,70 +VAT**

Stereo Virtual 7.1-channel sound effects  
 Virtual speaker shifter  
 Usb powered : 5V  
 Headphone output : 3.5mm  
 Microphone output: 3.5mm  
 cord length : 90mm  
 Compliant with USB2.0/1.1 USB Audio Device Class Specification 1.0,  
 USB HID Class Specification 1.1 No external power supply needed

**UA0099 7.1 CHANNEL USB SOUND BOX****€ 27,30 +VAT**

Enjoy real multi-channel surround sound by one simple USB connection. Full duplex recording and playback. USB Spec 2.0 full speed compliant. Compliant to USB Audio device class spec 1.0 and USB HID class spec 1.1  
 Supports 48/44.1 khz sampling rate for both playback and recording.  
 7.1 surround connection  
 3.5mm jack connectors  
 SPDIF optical digital input and output  
 System requirements: available USB 2.0 port, DirectX 8.1 or above  
 Supports Windows 2000/2003/Vista/XP/7

**VG0005B USB 2.0 AUDIO AND VIDEO GRABBER WITH SNAPSHOT LOGILINK****€ 19,50 +VAT**

Digitizes audio and video signals  
 Interface: USB 2.0 A male  
 Connector A/V 1: RCA composite (S-VHS)  
 Connector A/V 2: S-Video  
 Button for start and stop recording oder snapshot  
 IN PAL: 720 x 576 @ 25 fps  
 IN NTSC: 720 x 480 @ 30 fps  
 PC Display: 1024 x 768 or higher  
 Format: MPEG 2  
 Video Capture Source: VHS, V8, Hi8

**AD-014 USB VIDEO GRABBER****€ 15,60 +VAT**

Digitizes audio- and video signals Interface: USB 2.0 A male Connector A/V 1: RCA composite (S-VHS) Connector A/V 2: S-Video Button for start and stop recording oder snapshot IN PAL: 720 x 576 @ 25 fps IN NTSC: 720 x 480 @ 30 fps PC Display: 1024 x 768 or higher Format: MPEG 1,2,4 Video Capture Source: VHS, V8, Hi8  
 USB 2.0 PnP Interface, USB video/audio transfer Create you High Definition Home Video Library One Touch Grabber; push to start, push to stop button(Pro Version) USB audio support,  
 one USB cable to your PC, especially for Notebook without Line in port Real-Time MPEG 4/2/1 encoding  
 Capture video source from VHS, V8, Hi8 Burn your own DVD/VCD/SVCD System requirement Pentium-IV 1.6GHz or higher(recommended) 256MB RAM of system memory or above (recommended) One available USB port (preferably USB 2.0)  
 Graphics Card (Must support DirectX 9.0c) Sound Card (AC97 compatible sound card)  
 1GB Free HD Space Microsoft Windows XP/ Windows Vista/Windows 7



**30050L 56K FAX MODEM, EXTERNAL, USB, V.92****€ 25,35 +VAT**

The fax / modem provides Internet connections with speeds up to 56Kb / s over standard telephone lines. The 56Kb / s speed Internet allows almost ISDN speeds to set. Power supply from the bus, no additional power supply required. Plug and play compatible for easy installation and configuration Data transfer rate up to 56 Kb / s download and up to 33.6 Kb / s upload. Easy configuration and management software. Supports fax function with transfer rate up to 14.4 Kb / s Supports answering machine (TAM) and Phone Services. Chipset: Conexant Data Mode: ITU-T V.92, V.90, V.34, V.32 bis, V.32, V.29, FastPOS (V.29), V.22 bis, V.22, V.23 , V.21, Bell 212A and Bell 103 and .251 V.250 commands Data compression: ITU-T V.44, V.42 bis / MNP 5 Error correction: ITU-T V.42/MNP 2-4 Fax mode: ITU-T V.17, V.29, V.27 ter, V.21 Ch2, Group 3, Class 1, Fax Transfer Rate: 14.4Kb / s to send / receive Anschlüsse: USB, RJ-11 Dimensions: 75 x 25 x 18 mm, 30g Accessories: modem, telephone cable + plug, manual, CD with driver / software

**UC232A ATEN USB / RS-232 CABLE - 0,3m USB-A MALE TO 9-PIN D-SUB MALE****€ 16,25 +VAT**

USB to RS-232 Adapter. The UC-232A USB Serial Adapter provides an external plug-and-play RS-232 serial connection for computers, notebooks, laptops and handheld computing devices that support the USB specification. Full compliance with the USB Specification v1.1 Support the RS232 Serial interface Up to 230Kbps data transfer rate Support remote wake-up and power management Works with cellular phones, PDAs, digital cameras, modems or ISDN terminal adapter

**UA0054A ADAPTER USB TO D-SUB 25 CABLE****€ 11,70 +VAT**

USB to Parallel Adapter Connector 1: USB A male, Connector 2: D-Sub 25-pin (parallel) female Fixing with thumbscrews Compliance with USB standard USB full speed (12 Mbit/s) Molded housing Supports EPP, ECP, bidirectional No Driver Needed, Cable length: ca. 1.5 m

**AU0006C ADAPTER USB2.0 TO 2,5 + 3,5 IDE + SATA HDD OTB****€ 20,80 +VAT**

USB 2.0 to IDE & SATA Adapter Computer Connection: USB A male Connector 1: 3.5" HDD / 40-pin female Connector 2: 2.5" HDD / 44-pin female Connector 3: SATA connector Max. transfer rate: 480 Mbit/s One Touch Backup (OTB) function Also supports CD-ROM and DVD drives Cable length: 1.2 meters Incl. 5.25" power cable, SATA cable +

**UDS-1000 USB 2.0 DOCKING STATION****€ 78,00 +VAT**

Instantly converts your laptop into networked desktop workstation Adds a Parallel, Serial, 10/100M Ethernet LAN, PS/2 Keyboard/Mouse and three USB 2.0 ports to your laptop or desktop system Backward compatible with USB 1.1 devices Use USB bus-powered or self-powered with included power adapter Connect your desktop monitor to your laptop with VGA pass-through Easy installation and compatible with Windows 98SE/ME/2000/XP



**UA0037 ADAPTER USB TO MIDI IN-OUT**

PC Adapter for Midi devices & keyboards  
Connector Computer: USB A male  
Connector Midi In: 5-Pin DIN male  
Connector Midi Out: 5-Pin DIN male  
LED for power and data direction  
16 Midi input channel / 16 Midi output channel  
No driver installation necessary  
USB powered and true plug & play / Cable length: 2,0 meter

€ 11,05 +VAT



**UA0210 HI-FI USB AUDIO AMPLIFIER**

USB Audio Amplifier  
96 KHz / 24 bit Hi-Fi USB Audio  
Hardware EQ on bass and treble boost  
Output: Stereo Analog RCA Line,  
Coaxial & Toslink S/PDIF Digital,  
6.3 mm and 3.5 mm headphone  
Supports AC3  
Analog Input: 3.5 mm Stereo Line-in  
USB Bus-powered

€ 50,70 +VAT







# RAPTICAL LTD

The Computer Company

tel: 25-312139, 25-430202, 99-412448

www.raptical.com

fax: 25-430232

sales@raptical.com

Address: Shop G14, Anna Court 4, 2 Georgios A str., 4047, Potamos Yermasoyas, Limassol, Cyprus

## Card Readers

### 66773 USB 3.0 MOBILE CARD READER W/2SLOTS, FOR SD, SDHC, SDXC, microSD € 10,50 +VAT

This card reader is the ideal companion for traveling, thanks to USB 3.0 it is super fast and very flexible with 2 bays for memory cards.

Small, portable, USB 3.0 interface

Supports major memory cards: SDHC, SD, microSD, microSDHC, SDXC, microSDXC, MMC, MMCmobile, MMCplus,

RS-MMC / with adaptor: miniSD, MMCmicro, miniSDHC

Simultaneous reading of 2 memory cards through 2 slots

Supports data copy from card slot A to card slot B

Meets Super Speed USB 3.0 Specifications

Transfer Rates up to 5Gb/s. Requirements: USB Port, Windows XP and later, Mac OS 10.5 or later



### 66774 USB 3.0 DUAL CARD READER W/CABLE, 2x2 SLOTS, FOR SD, SDHC, SDXC, microSD € 12,00 +VAT

This card reader is the ideal companion for traveling, thanks to USB 3.0 it is super fast and very flexible with 4 bays for memory cards.

Transfer rate: up to 5Gbps (up to 10x faster than USB 2.0)

4 slots design, 2 memory cards can be read simultaneously, and copy each other

Double SD and Micro SD (T-Flash) design

Supported memory cards: SD, SDHC, SDXC,

EXTREME SD, EXTREME II SD, EXTREME, III SD,

ULTRA SD, ULTRA II SD, ULTRA II SD PLUS, SD-ULTRA-X, ULTRA SPEED SD, SD PRO,

SD ELITE PRO, HS SD, MMC, MMC4.0, HS MMC, HS RS MMC, RS MMS,

RS MMC 4.0, MMC 4.4, Micro SD, Micro SDHC, Micro SDXC

Plug and play

Blue LED power/transmission indication

Super mini design, flexible and convenient to carry

Dimension: 60 x 32 x 11 mm, Weight: 25g (approx.)

Support system: Windows Xp and later, Mac OS X 10.5 or above

Length of cable: 165mm



### 66776 OTG CARD READER DUAL FLEX, FOR SD & microSD, W/USB PORT & 2 CARD SLOTS € 7,50 +VAT

USB OTG is a specification that allows USB devices such as a tablet or smartphone to act as a host, allowing other USB devices such as USB flash drives, mice or a keyboard to be attached to them.

These functions offers this card reader through one USB port.

Furthermore, 2 memory card drives for SD and microSD memory cards are available

Pocket size with tuck-away cable

Supports OTG function

One USB Port, Type USB A female

Supported memory cards: SD, microSD, SDHC, microSDHC, MMC, SDXC,

micro SDXC, up to 2 TB (Depending on device)

For Android Smartphones or Tablets with micro USB OTG port and Android 4.0 or above

USB OTG only supports FAT32 (NTFS is not supported)

Supports USB flash drives, USB HDD, USB mice / keyboards with

their wireless USB transmitters and other USB devices



**CR0010 CARDREADER USB 2.0 EXTERN MINI ALL-IN-1****€ 10,50 +VAT**

Compliant to USB 2.0 specification, USB High Speed 480Mbps and Full Speed 12Mbps  
 Supports Media Copy and Hot-Swap, Hot-Plug, PnP  
 Supports following memory cards series: Memory Stick (MS) series, Secure Digital (SD / SDHC) series, Micro SD (T-Flash) series  
 Supports Memory Stick; Memory Stick Magic Gate; Memory Stick Pro; Memory Stick Duo; Memory Stick Pro Duo; Memory Stick Magic Gate Pro; Memory Stick Magic Gate Duo; Memory Stick micro(M2); SD; SDHC; mini SD; Micro SD (T-Flash Card), MMC, MMC-II, RS MMC, MMC Plus, MMC Plus Turbo, MMC Mobile, MMC Mobile-ProC  
 Bus powered, lanyard included  
 Supports Win ME/ 2000/ XP/ Vista and Mac OS v9.2 or above (No need driver)  
 Need driver for Win 98/98SE and Mac OS 9

**CR0013 CARDREADER USB 2.0 EXTERNAL****€ 11,25 +VAT**

Multifunctional Card Reader  
 Space-saving version to take suitable  
 Card Read/Write device for all commercially available memory cards incl. SD-HC  
 Connection to an external USB 2.0 Port  
 Max. data transfer rate: 480 Mbit/s  
 Power supply: DC +5,0 volt via USB bus  
 USB connection cable included  
 Suitable for MAC and PC  
 Housing: Aluminium black

**CR0012 INTERNAL 3.5" USB 2.0 ALL-IN-ONE CARD READER****€ 8,25 +VAT**

Compatible with USB 2.0/1.1 specification  
 Card Reader to be installed in the computer  
 Standard size for 3.5" drive bay  
 Data Internal connection to USB 2.0 Suitable for:  
 CF I/II/Ultra CF/MD, SD/SDHC/MMC/RS MMS, MS/MS-Pro/MS-Duo/MS-Pro-Duo, XD, Micro SD/Micro SDHC  
 Power supply via internal connection  
 No driver installation required

**76633F CARD READER FOR 3,5" USB2.0 ALL-IN-1****€ 9,00 +VAT**

Compatible to USB 2.0 and USB 1.1  
 Supports Windows 2000/ME/XP/Vista, For Mac OS X or higher  
 Power supply via USB, no power adapter required  
 Suitable for following memory cards: CompactFlash(CF), CompactFlash II (CFII), CF-ultra II, MicroDrive (MD), CF-Pro, CF-ProII, CF extreme, CF extremeIII, CF-PSP II, SmartMedia(SM), Memory Stick(MS), Memory Stick Pro (MS Pro), Memory Stick Duo (MS Duo), Memory Stick Pro Duo Memory Stick select Secure Digital (SD), MiniSD, RS Multimedia Card XD Card, T-Flash, (some require adapters)  
 Incl. 2 panels (silver, black)  
 For installation into 8.89cm (3.5") slot  
 internal USB connection on mainboard  
 USB connector for external USB devices

**IB-801-B MOBILE MULTI-CARDREADER WITH 3,5" DOCKING STATION****€ 30,00 +VAT**

USB2.0 High Speed connection  
 USB power, no power supply needed  
 Hidden USB Cable, USB Connector for mainboard  
 Sensitive button to remove the mobile device  
 Premium aluminium bay with Front USB adapter  
 Support 50 memory card  
 (e.g. CF, MD, SMC, SDC, MMC, MSC and MS Pro)

**ICY BOX**

**UA0151 CARD READER USB 3.0 INCL 3-port HUB, INTERNAL****€ 28,50 +VAT**

3-Port USB 3.0 Hub with Card Reader  
 Built in 3.5" drive bay (internal)  
 Supports USB 3.0 standard  
 Transfer rates up to 5 GBit/s  
 Multi Card Read/Write device for  
 Secure Digital (Micro-)SD,  
 (Micro-)SDHC, (Micro-)SDXC,  
 Memory Stick (MS, M2)  
 Color: Black

**IB-861-B 50 IN ONE CARDREADER IN BLACK WITH MULTIPOINT FRONT PANEL****€ 42,00 +VAT**

4 Port USB 2.0 Hub, Mic, Audio Out / In, Video, 1394a Interface  
 5V & 12V powerinterface (e.g. for external case)  
 Blue lighting interface (USB Hub, Audio ...)  
 Fits into a 5,25" slot  
 Internal connector for 1394a, USB Hub & Cardreader (USB)  
 External connector for Mic, Audio Out / In, Video  
50 in One Cardreader supports following memory cards (e.g.): Compact Flash Card TYPE I, Card TYPE II, Ultra Card TYPE I, Ultra II Card TYPE I, Extreme Card, Extreme III Card, IBM Micro Drive Card , Smart Media Card, xD-Picture Card  
 Secure Digital: Card, PRO Card, Ultra II Card, Extreme Card Secure Digital Extreme III Card  
 Mini Secure Digital: Card, PRO Card, • Multi Media: Card, PRO Card, • Reduced Sized Multi Media Card  
 Memory Stick With memory select function, Magic Gate / High Speed data transfer compatible  
 memory select function, Memory Stick Duo Magic Gate / High Speed data transfer compatible  
 Memory Stick: Pro, Pro Ultra II, Pro Extreme III, Pro Duo, Magic Gate Memory Stick,  
 Memory Stick Duo, Memory Stick ROM

