



# **RAPTICAL LTD.**

**The Computer Company**

Tel.: 25-312139, 25-430202 Mob.: 99-412448 Fax: 25-430232

E-mail: [sales@raptical.com](mailto:sales@raptical.com)

[www.raptical.com](http://www.raptical.com)

Address: Shop G14, Anna Court, Georgios str., 4047, Potamos Yermasoyas, Limassol, Cyprus

## **USB and IEE1394 Cables**

<b>PU-406.Z</b>	<b>USB HIGH-SPEED CABLE A-B - 1,80m</b> <b>USB-A MALE TO USB-B MALE</b> colour: black - double shielded - USB 2.0 standard	<b>€ 2,70 +VAT</b>
<b>34518X</b>	<b>POLYBAG PACKAGE</b>	<b>€ 1,49 +VAT</b>
<b>PU-407.Z</b>	<b>USB HIGH-SPEED CABLE A-B - 3,00m</b> <b>USB-A MALE TO USB-B MALE</b> colour: black - double shielded - USB 2.0 standard	<b>€ 3,38 +VAT</b>
<b>34535X</b>	<b>POLYBAG PACKAGE</b>	<b>€ 1,82 +VAT</b>
<b>PU-408.Z</b>	<b>USB HIGH-SPEED CABLE A-B - 5m</b> <b>USB-A MALE TO USB-B MALE</b> colour: black - double shielded - USB 2.0 standard	<b>€ 4,05 +VAT</b>
<b>34555X</b>	<b>POLYBAG PACKAGE - 4,5m</b>	<b>€ 2,30 +VAT</b>
<b>PU-288</b>	<b>USB TWIN POWER CABLE 1,8+0,15m</b> for doubling the power 2xUSB-A male to 1xUSB-B male	<b>€ 2,30 +VAT</b>
<b>PU-290</b>	<b>USB 2.0 TWIN POWER CABLE 1,5+0,15m</b> for doubling the power 2xUSB-A male to 1xMini USB male Using a USB Hub, powered by the UPS port of your computer, some times the power of one single USB Port is just not enough for all connected devices. The GR twin power cable using a second USB port from your computer to double the max. power. With this simple but effective trick there is no more big und ugly external power supply needed	<b>€ 2,97 +VAT</b>
<b>PU-316</b>	<b>USB HIGH-SPEED CABLE A-A - 1,80m</b> USB-A male to USB-A male colour: grey - double shielded - USB 2.0 standard UL2725 cable, double shielded, shielding: aluminium-foil and 65 % tinned metal-braid screen, Twisted Pair for the signal wires, AWG28	<b>€ 2,43 +VAT</b>
<b>CU0038</b>	<b>CABLE USB3.0 A-A MALE 1m BLACK</b> USB 3.0 cable Connector 1: USB A male Connection 2: USB A male Complies with USB 3.0 spec. Max. Transfer Rate: 5 Gbit/s Double shielded Color: Black	<b>€ 2,84 +VAT</b>



**CU0013B USB 2.0 DOCKING STATION****€ 4,73 +VAT**

USB 2.0 Docking Station  
 Connector 1: USB (Type A) male  
 Connector 2: USB (Type A) female  
 Max Transfer Rate: 480 Mbit/s  
 Double shielded  
 Standard UL-2725, Wire range: AWG 28  
 Color: black


**PU-409.Z USB HIGH-SPEED CABLE A-A - 1,80m**  
**34618B USB-A MALE TO USB-A FEMALE**
**€ 2,70 +VAT**  
**€ 1,89 +VAT**

colour: grey - double shielded - USB 2.0 standard


**PU-410.Z USB HIGH-SPEED CABLE A-A - 3,00m**  
**34603B USB-A MALE TO USB-A FEMALE**
**€ 3,38 +VAT**  
**€ 2,30 +VAT**
**PU-411.Z USB HIGH-SPEED CABLE A-A - 5,00m**  
**34605B USB-A MALE TO USB-A FEMALE - 4,5m**
**€ 4,05 +VAT**  
**€ 2,70 +VAT**
**CU0023 USB 3.0 CABLE, A-MALE TO B-MALE, 1m****€ 4,05 +VAT**

USB 3.0 Cable A to B  
 Terminal 1: USB A male / Connection 2: USB B male  
 Manufacturing USB 3.0 standard  
 Double shielded / Power supply: 900 Ma  
 ROHS Compliant

**CU0024 USB 3.0 CABLE, A-MALE TO B-MALE, 2m****€ 5,40 +VAT****CU0025 USB 3.0 CABLE, A-MALE TO B-MALE, 3m****€ 6,75 +VAT**
**CU0041 USB 3.0 SUPERSPEED CABLE A-A - 1m**  
**USB 3.0 A MALE TO USB 3.0 A FEMALE**
**€ 3,04 +VAT**
**BU-254 USB 3.0 SUPERSPEED CABLE A-A - 3,00m**  
**CU0043 USB 3.0 A MALE TO USB 3.0 A FEMALE**
**€ 6,75 +VAT****35405 USB 3.0 CABLE, INLINE®, AM / MICRO BM, BLACK, 0,5m****€ 5,40 +VAT**

USB 3.0 cable to connect USB 3.0 devices with a computer  
 Super speed USB 3.0 supporting up to 5Gbps data rate.  
 About 10 times of USB2.0 Performance  
 Backward compatible with USB2.0 and 1.1 for connecting  
 computer or Notebook to Blu-ray DVD/Big mobiles memory  
 Gold-plated copper contacts minimize data loss  
 Foiled and braided shield complies with fully rated cable specifications  
 Impedance matches twisted pair construction helps  
 to minimize cross talk,super high-speed,error-free transmission  
 USB 3.0 A male to Micro B male (9 pins)


**CU0026 USB 3.0 CABLE, A-MALE TO B-MICRO MALE,**  
**1m, POLYBAG**
**€ 6,08 +VAT**
**31805F INLINE, MINI-USB 2.0 FLAT CABLE, USB A TO MINI5P,**  
**BLACK/GOLD, 0,5m**
**€ 4,05 +VAT**

The Mini USB connector is often used for card reader, digital cameras,  
 hubs, etc.  
 USB A Male to Mini USB connector (5-pin)  
 Colour: black, gold plated contacts  
 USB 2.0 and backwards compatible



<b>PU-402</b> <b>CU0014</b>	<b>USB MINI CABLE 5-PIN - 1,80m</b> 5-pin USB-B Mini-male to USB-A male double shielded, for USB 1.1 and 2.0 All cable double shielded, with 2 x AWG24 and 2 x AWG28 wires, UI2725. Molded hoods with strain-relief. Useful for USB 1.1 and 2.0. USB A-male to USB B-Mini-male		<b>€ 3,98 +VAT</b> <b>€ 2,70 +VAT</b>
<b>PU-403</b> <b>CU0015</b>	<b>USB MINI CABLE 5-PIN - 3,00m</b>		<b>€ 4,73 +VAT</b> <b>€ 3,92 +VAT</b>
<b>CU0098</b>	<b>USB 3.1 GEN1 ADAPTER USB TYPE C MALE TO TYPE A FEMALE</b> Connect standard USB accessories like mouse, keyboard, flash drive etc. to USB Type C devices like PCs and laptops enjoy faster data transferring and charging. Connection 1: USB 3.1 (Type C) male Connection 2: USB 3.1 (Type A) female Supports USB 3.1 standard, Gen1 up to 5 Gbps Current: 3 A Cable length: 0.15 m. Color: Black		<b>€ 7,43 +VAT</b>
<b>33500C</b>	<b>USB 2.0 ADAPTER CABLE, MINI-JACK A ON 5-PIN. CONNECTOR, 0.2m</b> Short USB 2.0 cable for adapting to a USB type A connector to a mini-USB connector 5pin. A jack -> mini 5-pin connector, 4-pin assignment Length 0.2 m. Color: Black		<b>€ 2,43 +VAT</b>
<b>AA0035</b>	<b>USB OTG CABLE LOGILINK</b> With the USB OTG Adapter you can connect your Smartphone via USB micro B port directly to a printer and use it without a computer. Direct file transfer between your smartphone and an OTG-compatible hard drive is also easily possible. Connection 1: USB micro B male / Connection 2: USB A female Allows connection of keyboard, USB hub, USB flash drives, card readers, etc. Cable length: 0.20 m / Color: Black		<b>€ 2,43 +VAT</b>
<b>AA0036</b>	<b>SAMSUNG USB OTG CABLE, 30-pin LOGILINK</b> With the USB OTG Adapter you can connect your Samsung Tablets directly to a printer and use it without a computer. Direct file transfer between your tablet and an OTG-compatible hard drive is also easily possible. OTG Adapter for Samsung Tablets Connection 1: Samsung 30-pin male Connection 1: Samsung 30-pin male Allows connection of keyboard, USB hub, USB flash drives, card readers, etc. Cable length: 15 cm. Color: Black		<b>€ 5,40 +VAT</b>
<b>PU-680</b> <b>CU0058</b>	<b>USB 2.0 TYPE A TO TYPE B MICRO CABLE, 1.0m</b> USB 2.0 cable Connector 1: USB A Male Connection 2: USB B Micro Male Complies with USB 2.0 specifications Max. Transfer Rate: 480 Mbit/s		<b>€ 3,92 +VAT</b> <b>€ 2,70 +VAT</b>
<b>31705</b>	<b>INLINE, MICRO-USB 2.0 CABLE, USB A TO MICRO-B, BLACK, 0.5m</b>		<b>€ 2,70 +VAT</b>
<b>PU-685</b>	<b>USB2.0 CABLE MICRO-A - MICRO-B - 1,00m</b> USB-Micro-A male to USB-Micro-B male		<b>€ 7,43 +VAT</b>

<b>PU-690</b>	<b>USB CABLE A - MINI USB - 1,80m</b> USB-A male to USB-Mini 8pin male		<b>€ 6,75 +VAT</b>
<b>PU-365</b>	<b>USB MINI CABLE 4-PIN - 1,80m</b> 4-pin USB-B Mini-male to USB-A male double shielded, for USB 1.1 and 2.0	 B-Sattel (Form wie Satteldach)	<b>€ 2,43 +VAT</b>
<b>PU-366</b> <b>33106</b>	<b>USB MINI CABLE 4-PIN - 3m</b> <b>USB MINI-CABLE PLUG A TO MINI USB PLUG, 2m</b> Spare cable for devices of the manufacturers <b>Epson, Nikon, Kodak</b> length 2m USB plug A to Mini USB plug		<b>€ 2,70 +VAT</b> <b>€ 5,06 +VAT</b>
<b>PU-215</b>	<b>USB-TRAVEL ADAPTER SET</b> Retractable USB 2.0 cable with 4 different adaptors		<b>€ 4,19 +VAT</b>
<b>PU-200</b>	<b>USB ADAPTOR A_B USB-A FEMALE TO USB-B FEMALE MOLDED HOOD</b>		<b>€ 2,16 +VAT</b>
<b>PU-201</b>	<b>USB ADAPTOR A_B USB-A FEMALE TO USB-B MALE MOLDED HOOD</b>		<b>€ 2,16 +VAT</b>
<b>PU-202</b>	<b>USB ADAPTOR A_B USB-A MALE TO USB-B FEMALE MOLDED HOOD</b>		<b>€ 2,16 +VAT</b>
<b>PU-204</b>	<b>ADAPTER USB FEMALE/FEMALE</b> Compatible with USB specifications Connectors: 2 x USB female Convert USB male to female Can be used to connect 2 USB cables to become an extension Portable, compact design Suitable for connecting USB devices Connection 1: USB 2.0 Plug A Female Connection 2: USB 2.0 Plug A Female Supports USB 2.0 standard		<b>€ 1,76 +VAT</b>
<b>PU-350</b>	<b>IEEE 1394 CABLE 4/4-PIN - 1,80m</b> 4-pin IEEE1394 male to 4-pin IEEE1394 male, double shielded		<b>€ 4,39 +VAT</b>
<b>PU-351</b>	<b>IEEE 1394 CABLE 4/4-PIN - 3,00m</b>		<b>€ 5,40 +VAT</b>
<b>PU-353</b> <b>34642</b>	<b>IEEE 1394 CABLE 6/4-PIN - 1,80m</b> 6-pin IEEE1394 male to 4-pin IEEE1394 male, double shielded		<b>€ 4,39 +VAT</b> <b>€ 3,71 +VAT</b>
<b>PU-354</b>	<b>IEEE 1394 CABLE 6/4-PIN - 3,00m</b>		<b>€ 5,40 +VAT</b>
<b>PU-356</b>	<b>IEEE 1394 CABLE 6/6-PIN - 1,80m</b> 6-pin IEEE1394 male to 6-pin IEEE1394 male, double shielded		<b>€ 4,39 +VAT</b>

<b>PU-357</b>	<b>IEEE 1394 CABLE 6/6-PIN - 3,00m</b>		<b>€ 5,40 +VAT</b>
<b>PU-199</b>	<b>IEEE 1394 ADAPTOR - 6/6-PIN</b> 6-pin female to 6-pin female molded hood For connection or extension of IEEE1394 Firewire cable. Molded version 6-pin to 6-pin, for extension of existing 6-pin IEEE1394 cable connections. IEEE1394 6-pin female to IEEE1394 6-pin female.		<b>€ 3,44 +VAT</b>
<b>PU-421</b>	<b>IEEE 1394B CABLE 6/9-POL. - 1m</b> <b>6-PIN A-MALE TO 9-PIN B-MALE</b>		<b>€ 4,73 +VAT</b>
<b>PU-422</b> <b>36903</b>	<b>IEEE 1394B CABLE 6/9-POL. - 1,80m</b> <b>6-PIN A-MALE TO 9-PIN B-MALE</b> Matches the new IEEE1394B standard. Data transfer up to 800Mbps. UL20276 cable, double shielded with aluminium-foil and 85% metal-braid screen. Connectors 15µ gold-plated.Molded hoods with strain-relief.		<b>€ 9,45 +VAT</b> <b>€ 6,75 +VAT</b>
<b>PU-425</b>	<b>IEEE 1394B CABLE 4/9-POL. - 1,80m</b> <b>4-PIN A-MALE TO 9-PIN B-MALE</b> Matches the new IEEE1394B standard. Data transfer up to 800Mbps. UL20276 cable, double shielded with aluminium-foil and 85% metal-braid screen. Connectors 15µ gold-plated.Molded hoods with strain-relief.		<b>€ 9,45 +VAT</b>
<b>PU-428</b>	<b>IEEE 1394B CABLE 9/9-POL. - 1,80m</b> <b>9-PIN B-MALE TO 9-PIN B-MALE</b> Matches the new IEEE1394B standard. Data transfer up to 800Mbps. UL20276 cable, double shielded with aluminium-foil and 85% metal-braid screen. Connectors 15µ gold-plated.Molded hoods with strain-relief.		<b>€ 9,45 +VAT</b>
<b>AU0004A</b>	<b>ADAPTER USB TO 2X PS/2</b> Connector 1: USB A male, Connector 2: 2x Mini DIN 6-pin female Suitable for Mouse and Keyboard Compliance with USB 1.1 standard Max. Speed: 12 Mbps / Molded housing / Cable length: ca. 30 cm		<b>€ 3,92 +VAT</b>
<b>CV100KM</b>	<b>KEYBOARD &amp; MOUSE SIGNAL SIMULATOR</b> Just CV100KM inserted into any computer , its internal micro- processor will simulate a keyboard and mouse signals , this allows users with no physical keyboard and mouse connections , under normal operation and can turn on the computer host .		<b>€ 36,45 +VAT</b>